

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	27179798	@ad< "20030820"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/26 13:36
L2	60	((send transmit) adj4 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/26 13:40
L3	149	((send\$4 transmit\$4) adj4 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/26 13:40
L4	89	3 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/26 13:40
L5	1	3 with backup	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/26 13:40
L6	2447	"backup server"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/26 13:41
L7	0	4 and 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/26 13:41
L8	402	"backup server" with request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/26 13:42

L9	8	"backup server" with request with (backup restor\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/26 13:42
L10	402	"backup server" with request with (backup restor\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 13:43
L11	39	"backup server" with request with (restor\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 13:43
L12	10	11 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 13:43
L13	10	11 and 1 and backup	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 13:46
L14	10	11 and 1 and backup and restore	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 13:57
S1	3856	709/219.cds. and @ad< "20030820"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/04 13:14
S2	21	S1 detect usable band	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 13:42
S4	2	"2002132717"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 07:51

S5	2	"2002149474"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 07:52
S6	3	"2002215855"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 08:54
S7	13453	(IGI PTR PathLoad Pathrate PathChirp Spruce) and @ad<"20030820"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 08:55
S8	1517	(IGI PTR PathLoad Pathrate PathChirp Spruce) and @ad<"20030820" and bandwidth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 08:55
S9	865	(IGI PTR PathLoad Pathrate PathChirp Spruce) and @ad<"20030820" and bandwidth and monitor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 08:56
S10	211	(IGI PTR PathLoad Pathrate PathChirp Spruce) and @ad<"20030820" and bandwidth and monitor and ("709"/.ccls. or "713"/. ccls)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 08:57
S11	13	(IGI PTR PathLoad Pathrate PathChirp Spruce) and @ad<"20030820" and bandwidth.ab. and monitor and ("709"/.ccls. or "713"/.ccls)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 10:30
S12	62	(IGI PTR PathLoad Pathrate PathChirp Spruce) and @ad<"20030820" and bandwidth.ab. and monitor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 15:38

S14	1400	backup and ("based on" or "based upon") and ("type of data" or "data type") and @ad<"20030820"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 11:04
S16	700	backup and ("based on" or "based upon") and ("type of data" or "data type") and @ad<"20030820" and bandwidth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 11:19
S19	574	backup and ("based on" or "based upon") and ("type of data" or "data type") and @ad<"20030820" and bandwidth and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 08:45
S20	3865	709/219.cds. and @ad<"20030820"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 08:57
S21	1185	709/219.cds. and @ad<"20030820" and bandwidth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 08:47
S23	698	709/219.cds. and @ad<"20030820" and bandwidth and (monitor or measure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 08:47
S24	107	709/219.cds. and @ad<"20030820" and bandwidth and (monitor or measure) and backup	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 08:48
S25	103	709/219.cds. and @ad<"20030820" and (bandwidth.ab. or bandwidth.ti.) and ((measure or monitor) near "7" bandwidth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 11:13
S26	2	"6785786".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 11:13

S27	1753	@ad< "20030820" and "operating system data" and application	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 15:39
S28	1	@ad< "20030820" and "operating system setting data" and application	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 15:46
S30	1	@ad< "20030820" and "application data" and backup and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 15:57
S31	30414	@ad< "20030820" and store and ("data type" or "type of data")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:00
S33	66	S31 and "based on"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:01
S34	8201	S31 and "based upon"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:01
S35	1306	S34 and backup	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:02
S36	1212	S35 and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:02
S37	984	S36 and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:02

S38	984	S37 and (data near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 14:37
S39	717	S37 and (data near3 based)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:04
S40	212	S39 and (store near3 based)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:04
S41	724	@ad< "20030820" and ("previous state" or "initial state" or "initial values") and backup and network and restore	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/11 13:59
S42	609	@ad< "20030820" and ("previous state" or "initial state" or "initial values") and backup and network and restore and request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/11 14:00
S43	251	@ad< "20030820" and ("previous state" or "initial state" or "initial values") and backup and network and restore and request and bandwidth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/11 14:26
S46	8	@ad< "20030820" and ("previous state" or "initial state" or "initial values") and backup and network and restore and request and "restore only"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/11 15:36
S47	2	"5966730".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/11 15:45
S50	19	"5467435"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/11 15:54

S51	2	"5467435".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/11 16:37
S52	2	"6138149".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/11 16:38
S53	2	watanabe "20040148453"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 13:43
S54	1149	@ad< "20030820" and (data adj2 type) and backup and restore and file	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 14:48
S55	960	@ad< "20030820" and "data type" and backup and restore and file	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 15:16
S56	1821	@ad< "20030820" and "based upon" and type and backup and restore	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 15:18
S57	68	@ad< "20030820" and "based upon type" and type and backup and restore	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 15:22
S58	6503	@ad< "20030820" and based and "file type"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 15:24
S59	2036	@ad< "20030820" and "based upon" and "file type"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 15:24

S60	81	@ad< "20030820" and "based upon" with "file type"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 15:27
S61	5	@ad< "20030820" and "stored based upon" and "file type"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 15:28
S62	2	"6138149".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/29 10:37
S63	2	"5673381".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/29 11:00
S64	2	"6785786".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/29 12:16
S68	911	restore with start with time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/29 16:03
S69	0	restore with start with time and @ad< "2003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/29 16:03
S70	369	restore with start with time and @ad< "20030820"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/29 16:04
S71	43	restore with start with time and @ad< "20030820" and backup	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/29 16:04

S72	27476823	(@ad @rlad)<"20030820"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:20
S73	5262	709/219.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/10 16:21
S74	2	"6785786".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/10 16:22
S75	27484001	(@rlad @ad)<"20030820"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 22:03
S76	1848439	network client server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 22:04
S77	391074	backup restore	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 22:04
S78	686217	(data file folder directory) with (type kind style class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 22:06
S79	100852	(data file folder directory) with (type kind style class) with (specify specifies indicate indicates determine determines specifying indicating determining)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 22:07
S80	7833	S75 S76 S77 S78 S79	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/08 22:07

S81	38	(data file folder directory) with (type kind style class) with (specify specifies indicate indicates determine determines specifying indicating determining) with (client server) with (backup restore)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 22:09
S82	5331	709/219.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 22:09
S83	1	S81 and S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 22:09
S84	17	((data file folder directory) near5 (type kind style class)) with (specify specifies indicate indicates determine determines specifying indicating determining) with (client server) with (backup restore)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/08 22:10
S85	27167603	@ad< "20030820"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/08 22:11
S86	6	S84 and S85	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/08 22:12
S87	0	sends with "type of data"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/08 22:17
S88	851	sends with "data type"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/08 22:18

S89	142	sends with "data type" with (client or server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/08 22:18
S90	103	S89 and S75	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/08 22:18
S91	15	S90 and S77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/08 22:18

11/26/2008 2:49:51 PM

C:\Documents and Settings\rkeehn\My Documents\EAST\Workspaces\10786103.wsp